





dark flow natural rectified 18"x36"

Waterfall Porcelain Collection (Color Body-Digital Technology)

Waterfall Porcelain Tile Collection takes Country Floors down an interesting road in terms of combining shape, size, and durability into one user-friendly package in through-body porcelain tile.

Please take note of the parallelogram shape. This unique visual presentation offers an eye-catching pattern possibility that can clearly set the Waterfall Collection apart from more mundane product offerings.

Porcelain tile may be described or imagined in many different ways. However, in general, the body is typically composed of kaolin clay feldspar and quartz. Although in recent years this composition has evolved. It is pressed into its shape and originally was left unglazed. In current times various glazes or pressings can then be added to the process. This shape is then fired at extremely high temperatures in a kiln which is essentially an oven. The result is very dense of vitrified material with almost no water absorption.

Usage

- | | |
|---|---|
| <input checked="" type="checkbox"/> Bathroom Floors/Walls | <input checked="" type="checkbox"/> Residential Interior Floors |
| <input checked="" type="checkbox"/> Commercial Interior Floor | <input checked="" type="checkbox"/> Residential Interior Walls |
| <input checked="" type="checkbox"/> Commercial Interior Walls | <input checked="" type="checkbox"/> Shower Floors |
| <input type="checkbox"/> Residential Countertops | <input checked="" type="checkbox"/> Shower Walls |



dark flow natural gramma decorative tiles



WLE00450 dark flow natural rectified 12"x24" - in stock
WLE00458 dark flow natural rectified 18"x36" - in stock
WLE00478 dark flow natural rectified 24"x24" - in stock



WLE00543
dark flow bullnose natural rectified 4"x24"
in stock

Floor / Wall Tiles

Dark Flow




WLE00893
dark flow natural rectified 2"x2"
12"x12"
0.97 sqft/pcs
in stock



WLE00522
dark flow brick natural rectified 2 3/4"x11 1/2"
12"x24"
in stock




WLE00530
dark flow muretto natural rectified
12"x24"
in stock



WLE00490
dark flow gamma 16 natural rectified DX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00494
dark flow gamma 16 natural rectified SX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00506 (2 pc set)
dark flow gamma 72 natural rectified
19 39/64"x6 21/32"
0.78 sqft/pcs
in stock




WLE00502
dark flow gamma 66 natural rectified SX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock



WLE00498
dark flow gamma 66 natural rectified DX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock

Bullnose pieces are recommended to be used in dry areas.

More sizes or finishes may be available through special order. Please contact your sales representative for more details.



dark flow gramma 66 natural rectified sx - silver flow gramma 66 natural rectified dx



WLE00453 silver flow natural rectified 12"x24" - in stock
WLE00461 silver flow natural rectified 18"x36" - in stock
WLE00481 silver flow natural rectified 24"x24" - in stock



WLE00549
silver flow bullnose natural rectified 4"x24"
in stock

Floor / Wall Tiles

Silver Flow



WLE00896
silver flow natural rectified 2"x2"
12"x12" mosaic
0.97 sqft/pcs
in stock



WLE00525
silver flow brick natural rectified 2 3/4"x11 1/2"
12"x24"
in stock



WLE00533
silver flow muretto natural rectified
12"x24"
in stock



WLE00493
silver flow gramma 16 natural rectified DX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00497
silver flow gramma 16 natural rectified SX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00509 (2 pc set)
silver flow gramma 72 natural rectified
19 39/64"x6 21/32"
0.78 sqft/pcs
in stock



WLE00505
silver flow gramma 66 natural rectified SX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock



WLE00501
silver flow gramma 66 natural rectified DX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock

Bullnose pieces are recommended to be used in dry areas.
More sizes or finishes may be available through special order. Please contact your sales representative for more details.



gray flow natural 2 3/4"x11 1/2" brick mesh mount mosaic



WLE00451 gray flow natural rectified 12"x24" - in stock
WLE00459 gray flow natural rectified 18"x36" - in stock
WLE00479 gray flow natural rectified 24"x24" - in stock




WLE00545
gray flow bullnose natural rectified 4"x24"
in stock

Waterfall Porcelain Collection (Color Body-Digital Technology)

Floor / Wall Tiles

Gray Flow



WLE00894
gray flow natural rectified 2"x2"
12"x12"
0.97 sqft/pcs
in stock



WLE00523
gray flow brick natural rectified 2 3/4"x11 1/2"
12"x24"
in stock




WLE00531
gray flow muretto natural rectified
12"x24"
in stock




WLE00491
gray flow gamma 16 natural rectified DX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00495
gray flow gamma 16 natural rectified SX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00507 (2 pc set)
gray flow gamma 72 natural rectified
19 39/64"x6 21/32"
0.78 sqft/pcs
in stock



WLE00503
gray flow gamma 66 natural rectified SX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock



WLE00499
gray flow gamma 66 natural rectified DX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock

Bullnose pieces are recommended to be used in dry areas.

More sizes or finishes may be available through special order. Please contact your sales representative for more details.



ivory flow natural



WLE00452 ivory flow natural rectified 12"x24" - in stock
WLE00460 ivory flow natural rectified 18"x36" - in stock
WLE00480 ivory flow natural rectified 24"x24" - in stock



WLE00547
ivory flow bullnose natural rectified 4"x24"
in stock

Waterfall Porcelain Collection (Color Body-Digital Technology)

Floor / Wall Tiles

Ivory Flow



WLE00895
ivory flow natural rectified 2"x2"
12"x12"
0.97 sqft/pcs
in stock



WLE00524
ivory flow brick natural rectified 2 3/4"x11 1/2"
12"x24"
in stock



WLE00532
ivory flow muretto natural rectified
12"x24"
in stock




WLE00492
ivory flow gramma 16 natural rectified DX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00496
ivory flow gramma 16 natural rectified SX
7 43/64"x3 13/16"
0.17 sqft/pcs
in stock



WLE00508 (2 pc set)
ivory flow gramma 72 natural rectified
19 39/64"x6 21/32"
0.78 sqft/pcs
in stock



WLE00504
ivory flow gramma 66 natural rectified SX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock



WLE00500
ivory flow gramma 66 natural rectified DX
15 7/16"x7 43/64"
0.71 sqft/pcs
in stock

Bullnose pieces are recommended to be used in dry areas.

More sizes or finishes may be available through special order. Please contact your sales representative for more details.

silver flow natural muretto mosaic



Waterfall Porcelain Collection (Color Body-Digital Technology)


Technical Information

Technical Characteristics	Test Method	Required Values	Average Value
Water Absorption	ISO 10545-3 ASTM C373	≤0.5%	≤0.5%
Frost Resistance	ISO 10545-12 ASTM C1026	No Alteration As Indicated By Manufacturer	Resistant
Breaking Strength	ISO 10545-4 ASTM C1505	≥ 1300 N/Mm ² ≥ 250 Lbf	2500 N 10mm / 3000 N 11mm 600 Lbf 10mm / 700 Lbf 11mm
Modulus Of Rupture	ISO 10545-4	≥ 35 N/Mm ²	50 N/Mm ²
Resistance To Deep Abrasion	ISO 10545-6 ASTM C1243	≤ 175 Mm ³	145 Mm ³
Linear Thermal Expansion	ISO 10545-8 ASTM C372	No Provision	$A \leq 7 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$ $A \leq 4.4 \times 10^{-6} \text{ }^{\circ}\text{F}^{-1} / A \leq 8 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$
Stain Resistance	ISO 10545-14	Class 3 Min.	5 Resistant Velvet ≥ 3 Lux
	ASTM C1378	As Indicated By Manufacturer	A Resistant Velvet C Lux
Chemical Resistance*	ISO 10545-13 ASTM C650	As Indicated By Manufacturer	La - Resistant A Resistant
Frost Resistance	ISO 10545-12 ASTM C1026	As Indicated By Manufacturer	Resistant
	ANSI A326.3	Dcof ≥ 0.42	Dcof ≥ 0.42 Velvet
Fire Reaction	EN 13823 EN 9239-1	Cpr (Ue) 305/2011, 2000/147/Ce Uni En 13501-1	Class A1 (Wall) Class A1fl (Floor)
Flame Spread	ASTM	No Provision	Class A
Thermal Conductivity	EN 12524	-	$\Lambda = 1.3 \text{ W/M}^{\circ}\text{K} / 0.7 \text{ Btu/Ft H}^{\circ}\text{F}$
Recommended Minimum Joint**	Rett-Rect (Indoor)	-	2mm
Shade Variation	Ansi A137.1	As Indicated By Manufacturer	Moderate Variation

Gamma




34"
gamma 72



27"
gamma 66



13.5"
gamma 16





COUNTRY FLOORS

countryfloors.com

COUNTRY FLOORS

NEW YORK

15 EAST 16TH STREET NEW YORK, NY 10003 PHONE : (212) 627 8300 FAX : (212) 242 1604

LOS ANGELES

8735 MELROSE AVENUE LOS ANGELES, CA 90069 PHONE : (310) 657 0510 FAX : (310) 657 2172

SAN FRANCISCO

TWO HENRY ADAMS STREET ST. 100 SAN FRANCISCO, CA 94103 PHONE : (415) 241 0500 FAX : (415) 241 0600

MARBLE SYSTEMS

MID-ATLANTIC & MID-WEST DIVISION

2737 DORR AVENUE FAIRFAX, VA 22031 PHONE : 703 226 1590 FAX : 703 226 1591

NORTHEAST DIVISION

610 WASHINGTON AVE CARLSTADT, NJ 07072 PHONE : 201 507 0111 FAX : 201 507 0888

WEST COAST DIVISION

2111 E HOWELL AVE, ANAHEIM, CA 92806 PHONE : 714 525 8910 FAX : 714 525 8911

MIAMI & CARIBBEAN DIVISION

2716 PONCE DE LEON BLVD. CORAL, GABLES, FL 33134 PHONE : 305 463 9850 FAX : 305 463 9851

SOUTHEAST DIVISION

2010 WEST ATLANTIC BLVD. POMPANO BEACH, FL 33069

PHONE : 954 979 9530 FAX : 954 979 9531

PUERTO RICO DIVISION

279 JOSÉ DE DIEGO AVE. SAN JUAN, PR 00920 PHONE : 787 793 5642 FAX : 787 774 8238

DOMINICAN REPUBLIC

CALLE DR MANUEL EMILIO PERDOMO #33, LOCAL 3 ENSANCHE NACO

SANTO DOMINGO, REPÚBLICA DOMINICANA PHONE: 809 692 2391

MANUFACTURING FACILITIES

CHANTILLY

25383 PLEASANT VALLEY ROAD, CHANTILLY, VA 20152 PHONE : 703 337 1500 FAX: 703 337 1501

MGM

ORGANIZE SANAYI BOLGESI 1. CD. 12. SK. NO: 8 AFYONKARAHISAR/TURKEY PHONE : +90 541 472 2205

TUREKS

ORGANIZE SANAYI BOLGESI 1. CD. 5. SK. AFYONKARAHISAR/TURKEY PHONE : +90 272 221 1600



CountryFloors



countryfloors1



countryfloors



countryfloors



marblesystemsinc



marblesystems1



marblesystems1



marblesystems



marblesystems